

TECHNICAL REPORT FOR EU TYPE-EXAM CERTIFICATION of Personal Protective Equipment (PPE)

EU TYPE EXAMINATION Nº:

UE-000152/00

APPLICATION DATE:

18/01/2022

DATE OF ISSUE:

10/01/2023

APPLICANT:

WELDAS EUROPE B.V
BLANKENWEG 18, 4612 RC BERGEN OP ZOOM
NETHERLAND

PPE TYPE:

BIB APRON

REFERENCE (PPE):

38-4342, 38-4342 W, 38-4336

INDEX:

1. PPE identification
2. Certification scope
3. Documentation submitted
4. Relationship between this European Standard and Annex II of Regulation (EU) 2016/425 on PPE
5. Design evaluation
6. Comfort evaluation
7. Sizing evaluation
8. Summary of results
9. Conclusion

ANNEX. - EU Type-Examination Certificate

Rev.1 This version cancels and replaces the previous one

1. PPE IDENTIFICATION

1.1 Description and photograph

Apron manufactured in grey fabric tight at the back by a red strip, which is adjustable by a buckle.



1.2 Description of the components

PPE components according to the information supplied by the manufacturer:

- Cotton flame retardant fabric with 520 g/m² is used with three ply KEVLAR®
- Red strap and buckle

1.3 Sizes

The size chart supplied by the manufacturer:

38-4336	↕	91 cm.	↔	60 cm.
38-4342	↕	107 cm.	↔	60 cm.
38-4342 W	↕	107 cm.	↔	80 cm.

1.4 Samples given for certification

On date 14/01/2022, eight (8) bib aprons arrived in the laboratory.

2. CERTIFICATION SCOPE

- **EN ISO 13688:2013** and **EN ISO 13688:2013/A1:2021** Protective clothing – General requirements.
- **EN ISO 11611:2015** Protective clothing for use in welding and allied processes

For the protection of the torso and hips of the user against the following risks:

- Risk of burning due to contact with small splashes of molten metal.
 - Risk of burning due to a short exposure to limited flame.
 - Risk of burning due to radiant heat.
 - Risk of short electric discharge.
- **EN 1149-5:2018** Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements.

For the protection of the torso and hips of the user against the following risk:

- Risk of burning due to incendiary discharges.

3. DOCUMENTATION SUBMITTED

Technical documentation, including the next points:

- Complete description of the PPE and of its intended use
- Assessment of the risks against which the PPE is intended to protect
- List of the essential health and safety requirements that are applicable
- Design and manufacturing drawings and schemes of the PPE and of its components and explanations
- Reference of the harmonized standards and/ or other technical specifications
- Reports on the tests carried out to verify the conformity of the PPE
- A description of the means used by the manufacturer during the production (Modulo C)
 - Manufacturer's instructions
 - Marking
 - Declaration of conformity

4. RELATIONSHIP BETWEEN THIS EUROPEAN STANDARD AND ANNEX II OF REGULATION (EU) 2016/425 ON PPE

- EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021 Protective clothing – General requirements.

Essential Health and Safety Requirements, according to Annex II of Regulation (UE) 2016/425	Clause(s) / sub-clause(s) of the standard EN ISO 13688:2013/A1:2021	Result
1.2.1 Absence of risk and other inherent nuisance factors	5.3	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.2.1.1 Suitable constituent materials	4.2	Meet <input type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.2.1.2 Satisfactory Surface condition of all PPE parts in contact with the user	4.4	Meet <input type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.4 Manufacturer's instructions and information	8	Meet <input type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
2.12 PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	6; 7	Meet <input type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>

- EN ISO 11611:2015 Protective clothing for use in welding and allied processes

Essential requirements of Annex II of the EU Directive 89/686/EEC ⁽¹⁾	Clause(s) / sub-clause(s) of the standard EN ISO 11611:2015	Result
1.2.1. Absence of inherent risk and other nuisance factors	4.1; 4.2; 4.3; 4.5; 4.6; 4.7; 6.6; 6.10 y 6.11	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.3.1 Adaptation of PPE to user morphology	4.4	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.4 Manufacturer's instructions and information	5.2; 8	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
2.4 PPE subject to ageing	5.3	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.3.2 Lightness and strength	6.2; 6.3; 6.4 y 6.5	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
3.6.1 PPE constituent materials and other components	6.7; 6.8; 6.9	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
3.6.2 Complete PPE ready for use	6.8; 6.9	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
1.1.2.2 Classes of protection appropriate to different levels of risk	6.1; 6.8 y 6.9	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>

Rev.1 This version cancels and replaces the previous one

Essential requirements of Annex II of the EU Directive 89/686/EEC ⁽¹⁾	Clause(s) / sub-clause(s) of the standard EN ISO 11611:2015	Result
2.12 PPE bearing one or more identification markings or indicators direct	7	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>

⁽¹⁾ Warning: In order to comply with this non-harmonized standard according to Regulation (EU) 2016/425, the risk assessment carried out by the manufacturer, in its technical documentation, shall be studied and thus assess whether or not it is necessary to add any requirement granting compliance with the applicable minimum essential health and safety requirements, for the type of risk to which the user may be exposed.

- **EN 1149-5:2018** Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements

Essential Health and Safety Requirements, according to Annex II of Regulation (EU) 2016/425	Clause(s) / sub-clause(s) of the standard EN 1149-5:2018	Result
1.4 Manufacturer's instructions and information	4.1 y 6	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
2.6 PPE for use in potentially explosive atmospheres	4.2	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>
2.12 PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	5	Meet <input checked="" type="checkbox"/>
		Not meet <input type="checkbox"/>
		Not applicable <input type="checkbox"/>

5. DESIGN EVALUATION

- **EN ISO 11611:2015** Protective clothing for use in welding and allied processes

Requirement
After design evaluation according to point 4 of EN ISO 11611:2015, the PPE is determined to be:
Conforming <input checked="" type="checkbox"/> Non-conforming <input type="checkbox"/>

- **EN 1149-5:2018** Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements

Requirement
After design evaluation according to point 4.2.2 of Standard EN 1149-5:2018, the PPE is determined to be:
Conforming <input checked="" type="checkbox"/> Non-conforming <input type="checkbox"/>

Rev.1 This version cancels and replaces the previous one

6. COMFORT EVALUATION

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing – General requirements.

Requirement
After the comfort evaluation according to point 4.4 of Standards EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021, the PPE is determined to be:
Conforming <input checked="" type="checkbox"/>
Non-conforming <input type="checkbox"/>

7. SIZING EVALUATION

- **EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021** Protective clothing – General requirements.

Requirement
After evaluation of the sizing according to point 6 and Annex D of Standard EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021, it is determined that the PPE is:
Conforming <input checked="" type="checkbox"/>
Non-conforming <input type="checkbox"/>

8. SUMMARY OF RESULTS

LEGEND RESULTS	
M	Meet
NM	Not meet
NA	Not applicable
NT	Not tested

- EN ISO 13688:2013 and EN ISO 13688:2013/A1:2021 Protective clothing – General requirements.

TEST	APPLIES ON	STANDARD	REQUIREMENTS	*UoM.	REPORT N ^o	RESULT
Cr (VI) Innocuousness point 4.2	Black leather	ISO 17075-1:2017 or ISO 17075- 2:2017	EN ISO 13688:2013/A1:2021, point 4.2, a) Shall not exceed < 3mg/kg	NA	NA	NA
Nickel Innocuousness point 4.2	Metal parts	EN 1811:2011+A1:201 5	EN ISO 13688:2013/A1:2021, point 4.2, b) Shall have a release of nickel of less than < 0,5µg/cm ² per week.	NA	NA	NA
pH Innocuousness point 4.2	Grey fabric / Red strap	Textile ISO 3071:2020 Leather ISO 4045:2018	EN ISO 13688:2013/A1:2021, point 4.2 c) Greater than 3,5 and less than 9,5	± 0,3	AR-22-YL- 004012-01 / AR-22-YL- 005339-01	M
Azo colorants which release carcinogenic amines listed Innocuousness point 4.2	Grey fabric / Red strap	ISO 14362-1:2017 and ISO 14362- 3:2017 ⁽¹⁾	EN ISO 13688:2013/A1:2021, point 4.2 Shall be no detectable	NA	AR-22-YL- 004012-01 / AR-22-YL- 005339-01	M
Comfort point 4.4	Protective clothing	EN ISO 13688:2013, point 4.4 and EN 13921	EN ISO 13688:2013, point 4.4 and Annex C	NA	Point 6 of this report	M
Dimensional change due to cleaning after pre- treatment point 5.3	Protective clothing o textile	Washed ISO 5077 Dry cleaned ISO 3175-1	EN ISO 13688:2013 + EN ISO 13688:2013/A1:2021, point 5.3 ≤ ±3% (woven) or ≤ ±5% (Knitted)	± 0,1 %	AR-22-YL- 004012-01	M
General size designation point 6	Protective clothing	ISO 8559-1:2017, EN ISO 13688:2013 + EN ISO 13688:2013/A1:20 21, point 6 and Annex D	EN ISO 13688:2013 + EN ISO 13688:2013/A1:2021, point 6 and Table 1	± 1 mm	Point 7 of this report	M
Marking point 7	EN ISO 13688:2013 + EN ISO 13688:2013/A1:2021, point 7 and Annex E			NA	NA	M
Information supplied by the manufacturer point 8	EN ISO 13688:2013 + EN ISO 13688:2013/A1:2021, point 8			NA	NA	M

⁽¹⁾The Azo colorants are tested according to ISO 17234-2:2011 and ISO 17234-1:2020 when leather material.

- EN ISO 11611:2015 Protective clothing for use in welding and allied processes

TEST	APPLIES ON	STANDARD	REQUIREMENTS	*UoM.	REPORT Nº	RESULT
General and design requirements point 4	-	EN ISO 11611:2015, point 4 and EN ISO 13688	EN ISO 11611:2015, point 4	NA	Point 5 of this report	M
Pre-treatment ⁽¹⁾ point 5.2	Materials / garment 5 washing cycles at 60°C, line dry (Type A)	-	EN ISO 11611:2015, point 5.2	NA	AR-22-YL-004012-01	M
Ageing ⁽¹⁾ point 5.3	Materials / garment	-	EN ISO 11611:2015, point 5.3	NA	NA	NA
Classification point 6.1	Garment	EN ISO 11611:2015	EN ISO 11611:2015, point 6.1, Annex A Class 1 / Class 2	NA	NA	Class 2
Tensile strength, after pre-treatment point 6.2	Grey fabric	ISO 13934-1 (woven) ISO 3376 (leather)	EN ISO 11611:2015, point 6.2 ≥ 400N (woven) ≥ 80N (leather)	± 13 N	AR-22-YL-004012-01	M
Tear strength, after pre-treatment point 6.3	Grey fabric	ISO 13937-2 (woven) ISO 3377-1 (leather)	EN ISO 11611:2015, point 6.3 Class 1 ≥ 15N Class 2 ≥ 20N	± 1 N	AR-22-YL-004012-01	Class 2 M
Burst strength, after pre-treatment point 6.4	Knitted outer materials	ISO 13938-1 or ISO 13938-2	EN ISO 11611:2015, point ≥ 100 kPa (50cm ²) ≥ 200 kPa (7,3cm ²)	NA	NA	NA
	Structural seams in knitted materials			NA	NA	NA
Seam strength, after pre-treatment point 6.5	Welt grey fabric-grey fabric seam after washing / Open grey fabric-grey fabric seam after washing	ISO 13935-2	EN ISO 11611:2015, point 6.5 ≥ 225 N	± 19 N/ ± 20 N	AR-22-YL-004012-01	M
Dimensional change, after pre-treatment point 6.6	Garment or each fabric layer	ISO 5077, point 6.6	EN ISO 11611:2015, point 6.6 ≤ ±3% (woven) ≤ ±5% (knitted)	± 0,1 %	AR-22-YL-004012-01	M
Limited flame spread of the new material (Procedure A) Outer face point 6.7.2	Grey fabric	EN ISO 11611:2015, point 6.7.2, 6.7.3 and ISO 15025	EN ISO 11611:2015, point 6.7.2 The flame does not reach the upper or either vertical edge	± 8,8 %	AR-22-YL-004012-01	M
Limited flame spread, after pre-treatment (Procedure A) Outer face point 6.7.2	Grey fabric		No flaming or molten debris - No hole formation - Afterglow ≤ 2s - Afterflame ≤ 2s	± 8,8 %	AR-22-YL-004012-01	M
Limited flame spread of the new material (Procedure B) ⁽¹⁾ point 6.7.3	Grey fabric		EN ISO 11611:2015, point 6.7.3 The flame does not reach the upper or either vertical edge	± 8,8 %	AR-22-YL-004012-01	M
Limited flame spread, after	Grey fabric		No flaming or molten debris - Afterglow ≤ 2s	± 8,8 %	AR-22-YL-004012-01	M

Rev.1 This version cancels and replaces the previous one

TEST	APPLIES ON	STANDARD	REQUIREMENTS	*UoM.	REPORT N°	RESULT
pre-treatment (Procedure B) ⁽¹⁾ point 6.7.3			- Afterflame ≤ 2s			
Limited flame spread, after pre-treatment (Procedure A) point 6.7.2	Welt grey fabric-grey fabric seam after washing / Open grey fabric-grey fabric seam after washing		EN ISO 11611:2015, point 6.7.3 The flame does not reach the upper or either vertical edge	± 8,8 %	AR-22-YL-004012-01	M
Limited flame spread, after pre-treatment (Procedure B) ⁽¹⁾ point 6.7.3	Welt grey fabric-grey fabric seam after washing / Open grey fabric-grey fabric seam after washing		No flaming or molten debris - Afterglow ≤ 2s - Afterflame ≤ 2s Seams do not separate	± 8,8 %	AR-22-YL-004012-01	M
Limited flame spread, after pre-treatment (Procedure A) point 6.7.2	Red strap / Buckle		EN ISO 11611:2015, point 6.7.2 The flame does not reach the upper or either vertical edge No flaming or molten debris - Afterglow ≤ 2s - Afterflame ≤ 2s Closure system open at least once	± 8,8 %	AR-22-YL-005339-01 / AR-22-YL-004012-01	M
Small splashes of molten metal, after pre-treatment point 6.8	Grey fabric	ISO 9150	EN ISO 11611:2015, point 6.8 Class 1: ≥ 15 and < 25 drops Class 2: ≥ 25 drops	± 3 drops	AR-22-YL-007259-01	Class 2 M
Heat transfer (radiation), after pre-treatment point 6.9	Grey fabric	ISO 6942 (Method B)	EN ISO 11611:2015, point 6.9 Class 1: 16 > RHTI 24 ≥ 7 Class 2: RHTI 24 ≥ 16	± 0,6 %	AR-23-YL-100632-01	Class 2 M
Electrical resistance, after pre-treatment point 6.10	Grey fabric	EN 1149-2	EN ISO 11611:2015, point 6.10 > 10 ⁵ Ω	± 15 %	AR-22-YL-004012-01	M
Fat content of leather point 6.11	Leather	ISO 4048:2008	EN ISO 11611:2015, point 6.11 ≤ 15%	NA	NA	NA
Marking point 7	EN ISO 11611:2015, point 7 + EN ISO 13688, point 7			NA	NA	M
Information supplied by the manufacturer point 8	EN ISO 11611:2015, point 8 + EN ISO 13688, point 8			NA	NA	M

Rev.1 This version cancels and replaces the previous one

- **EN 1149-5:2018** Protective clothing – Electrostatic properties – Part 5: Material performance and design requirements

TEST	APPLIES ON	STANDARD	REQUERIMENTS	*UoM.	REPORT N°	RESULT
Material requirements point 4.2.1	Electrostatic dissipative material	EN 1149-5:2018, point 4.2.1	EN 1149-5:2018, point 4.2.1	NA	NA	M
Half decay time (either geometric mean) ⁽¹⁾ point 4.2.1	Grey fabric	EN 1149-3:2004 (Method 2)	EN 1149-5:2018, point 4.2.1 $t_{50} < 4s.$	± 17 %	AR-22-YL-004012-01	M
Shielding factor (arithmetic mean) ⁽²⁾ point 4.2.1	External material		EN 1149-5:2018, point 4.2.1 $S > 0,2$	NT	NT	NT
Surface resistance (geometric mean) ⁽³⁾ point 4.2.1	External material	EN 1149-1	EN 1149-5:2018, point 4.2.1 $\leq 2,5 \cdot 10^9 \Omega$	NT	NT	NT
Design requirements point 4.2.2	Garment	EN 1149-5:2018, point 4.2.2	EN 1149-5:2018, point 4.2.2	NA	Point 5 of this report	M
Conductive parts (if applicable) point 4.2.2.3	Metal/conductive elements outside (slide fasteners, buttons, ...)	EN 60079-32-2:2015	EN 1149-5:2018, point 4.2.2.3 $< 3pF$	NA	NA	NA
Marking point 5	EN 1149-5:2018, point 5			NA	NA	M
Information supplied by the manufacturer point 6	EN 1149-5:2018, point 6			NA	NA	M

^{(1), (2) o (3)} Not necessarily all three requirements

9. CONCLUSION

Based on the results obtained in the exams, evaluations and revisions the following can be deduced:

The PPE type **BIB APRON** reference **38-4342, 38-4342 W, 38-4336**, classified as Category **II** Individual Protective Equipment and whose characteristics are stated in point 1 of this report, **COMPLIES** with the essential requirements established by Regulation (EU) 2016/425 of 9 March 2016 through the application of the standards and risks as stated in point 2 of this report.

On 10th of January 2023

Signature of the conformity evaluator:



Rev.1 This version cancels and replaces the previous one