



Clothing type: Arm protector

MANUAL

This product is in compliance with the regulation (EU) 2016/425

WELDAS PRODUCT: 44-7190

Size: See imprint on the product

Sizing according to EN ISO 13688 (in CM)

44-7190

450 - 500 mm.



180 - 420 mm.

The following explains the pictograms marked on the product:

EN 388



Digit	Test Resistance	Level 1	Level 2	Level 3	Level 4	Level 5	
1st	Abrasion (# cycles)	100	500	2000	8000	_	
2nd	Blade cut (index)	1,2	2,5	5,0	10,0	20,0	
3rd	Tear (Newton)	10	25	50	75	_	
4th	Puncture (Newton)	20	60	100	150	_	
5th	TDM Cut resistance (N)	A 2	B 5	C 10	D 15	E 22	F 30

If indication on product is "X": than the indicated position has not been tested

The pH, Chromium (VI) and PCP levals of all materials have been tested and meet CE health standards.

Coloring: coloring is done by using natural materials

Instruction for use:

The user needs to wear this product together with a PPE that covers full body to protect against welding risks. The material resist the small molten metal splashes and the flame spread test according to EN ISO 11611, however it does not fully achieve all requirements of that standard.

of that standard.

This product is intended to be used for all arc welding processes like MMA, MIG/MAG, TIG, micro plasma, spot and gas welding as well as plasma and oxygen cutting, gouging, brazing and thermal arc spraying. Because applications vary, it is the user's responsibility

to identify the right product for each application.

The service life depends on the degree of wear and use intensity in the respective application areas and is max. 60 months after manufacturing date. The date of manufacture is indicated on a label at the inside of the product.

Once this product can't be used anymore, it is the responsibility of the user to remove this product in an environmental way. Disposal according to local regulations.

Warrantee:

This product is warranted against manufacturing defects.

Because applications vary, it is the user's responsibility to identify the right product for each application. Each product contains a label with a batchnumber for traceability.

Washing, drying and ironing: No washing, tumble drying and ironing is allowed.

Within this norm there is no test method indicated on UV radiation but, normally, this will give no problem with these materials used.

Electrical danger:

When gloves are intended for arc welding: these gloves do not provide protection against electric shock caused by defective equipment or live working, and the electrical resistance is reduced if gloves are wet, dirty or soaked with sweat, this could increase the risk.

Aramid cotton fabric is used for manufacturing this product.

Improper use or improper storage can be of influence for the product performance. changing of the product performance over time during use or storage

Note 1 to entry: Ageing is caused by a combination of several factors, such as the following:
- cleaning, maintenance, or disinfecting process;
- exposure to visible and/or ultraviolet radiation;

- exposure to high or low temperatures or to changing temperatures;
 exposure to chemicals including humidity;
- Each product contains a label with a unique code for traceability of the production process.
- exposure to biological agents such as bacteria, fungi, insects, or other pests; exposure to mechanical action such as abrasion, flexing, pressure, and strain;
- exposure to contaminants such as dirt, oil, splashes of molten metal, etc.;

Storage: Store dry and at temperatures over 5° Celcius. Do not stack higher than 5 cartons on 1 pallet

Caution: Weldas gloves and clothing have been tested and certified at Eurofins Textile & Testing Spain, C/ German Bernácer 4, 03203 Elche (Alicante), Spain (EU no. 2865). For more information on EN standards, testing methods, test reports, product certifications, and other products, please e-mail us at: europe@www.weldas-ce.com
Declaration of conformity, test report, certificate, manual: www.weldas-ce.com

Address information Weldas:

Weldas Europe B.V. Blankenweg 18 4612 RC Bergen op Zoom The Netherlands e-mail: europe@weldas.eu